

TestkingIT

Testking IT

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

Exam : **JN0-1100**

Title : Juniper Networks Certified
Design Associate (JNCDA)

Vendor : Juniper

Version : DEMO

NO.1 You are working on a campus design for a customer who has acquired a building across the street from the main facility. The recently acquired building was built in 1979 and has not been updated to support the demands of current network technologies. The building must support high-speed network connections for all users working at the location.

Which two elements would you consider when analyzing connectivity and throughput requirements for this new location? (Choose two.)

- A. the hierarchical modules used within each group at the new location
- B. the data received from a traffic analysis
- C. the condition of the physical media at the new location
- D. the type of business the customer is in

Answer: B,C

NO.2 Your customer is a government organization with strict security requirements. They want to expand their Layer 2 infrastructure between multiple buildings within the same campus environment. They also want to ensure that no unauthorized devices are connected between the switches in the different buildings.

Which solution ensures data security in this environment?

- A. Use PNAC on all inter-switch connections.
- B. Use LLDP on all inter-switch connections.
- C. Use LACP on all inter-switch connections.
- D. Use MACsec on all inter-switch connections.

Answer: A

NO.3 Which statement describes a data center?

- A. The data center locally hosts thousands of users with wired connections, all with three to four active devices.
- B. The data center typically involves high density topologies with multiple points of access.
- C. The data center encompasses a broad area that is used to interconnect business locations and resources.
- D. The data center houses the computing resources and services used by a company.

Answer: D

NO.4 Which name is used by a service provider to identify the edge device inside the central office facing the customer?

- A. LSR
- B. PE
- C. CE
- D. P

Answer: B

NO.5 You have an access switch that must connect to an aggregation switch. The two switches are 2,600 feet (800 meters) apart.

Which type of media would be used to connect the Layer 2 switches?

- A. multimode fiber
- B. single-mode fiber
- C. cat5 cable
- D. cat6E cable

Answer: B

NO.6 Your customer is experiencing problems with session drops and high response time. You are asked to provide redesign suggestions to minimize these problems. You examine the applications that are supported by your customer's network to try to identify problem factors.

Which two factors are important from an application-driven network impact perspective? (Choose two.)

- A. presence of elephant flows
- B. IGP protocols in use
- C. use of HTTPS protocols by the application
- D. short timers

Answer: A,D